

Zestaw 1			
Nr	x [m]	y [m]	dz [mm]
1	0.0	0.7	-69.1
2	0.6	30.3	-104.5
3	0.6	60.1	-151.5
4	0.0	90.7	-222.6
5	20.5	0.0	-32.4
6	20.0	30.0	-170.8
7	20.5	60.4	-230.0
8	20.8	90.0	-343.2
9	40.7	0.4	-35.3
10	40.8	30.0	-167.0
11	40.8	60.5	-185.8
12	40.3	90.1	-398.5
13	60.3	0.2	-45.0
14	60.3	30.0	-109.8
15	60.8	60.2	-264.6
16	60.6	90.7	-451.1
17	80.7	0.5	-35.7
18	80.5	30.4	-111.5
19	80.4	60.5	-299.9
20	80.7	90.7	-494.3
21	100.5	0.2	-37.9
22	100.8	30.5	-187.3
23	100.8	60.5	-318.5
24	100.6	90.6	-604.5
25	100.2	0.1	35.5
26	100.1	30.6	-174.3
27	100.5	60.2	-324.0
28	100.4	90.3	-668.5

Zestaw 3			
Nr	x [m]	y [m]	dz [mm]
1	0.3	0.0	-54.9
2	0.4	30.3	-102.0
3	0.6	60.7	-176.2
4	0.8	90.7	-247.7
5	20.1	0.4	-85.7
6	20.8	30.1	-106.6
7	20.3	60.1	-244.9
8	20.7	90.6	-349.4
9	40.5	0.1	-56.8
10	40.7	30.5	-101.4
11	40.6	60.6	-304.2
12	40.2	90.7	-433.2
13	60.3	0.1	-52.4
14	60.1	30.0	-108.9
15	60.5	60.0	-248.7
16	60.8	90.7	-523.3
17	80.4	0.4	-13.5
18	80.7	30.1	-115.4
19	80.7	60.5	-325.0
20	80.4	90.7	-520.4
21	100.2	0.4	24.1
22	100.8	30.5	-176.5
23	100.3	60.1	-384.9
24	100.0	90.5	-661.2
25	100.7	0.5	15.5
26	100.3	30.2	-217.9
27	100.8	60.4	-415.7
28	100.7	90.6	-614.8

Zestaw 2			
Nr	x [m]	y [m]	dz [mm]
1	0.6	0.6	-16.1
2	0.4	30.6	-63.9
3	0.4	60.2	-189.8
4	0.6	90.1	-200.8
5	20.4	0.6	-124.3
6	20.5	30.3	-64.9
7	20.6	60.5	-183.7
8	20.2	90.2	-373.6
9	40.1	0.3	-106.6
10	40.2	30.4	-127.7
11	40.8	60.3	-301.7
12	40.6	90.4	-401.0
13	60.3	0.6	-60.6
14	60.7	30.1	-140.3
15	60.2	60.7	-331.7
16	60.4	90.0	-445.4
17	80.6	0.0	-57.0
18	80.4	30.1	-185.3
19	80.3	60.3	-355.7
20	80.2	90.5	-507.6
21	100.8	0.4	-23.6
22	100.8	30.1	-151.8
23	100.7	60.4	-425.5
24	100.0	90.4	-656.2
25	100.7	0.5	-4.9
26	100.8	30.2	-202.3
27	100.0	60.1	-390.3
28	100.6	90.5	-560.1

Zestaw 4			
Nr	x [m]	y [m]	dz [mm]
1	0.3	0.6	-78.5
2	0.6	30.1	-118.1
3	0.1	60.4	-82.4
4	0.0	90.6	-192.4
5	20.4	0.5	-51.7
6	20.6	30.6	-72.0
7	20.8	60.3	-202.9
8	20.2	90.3	-331.4
9	40.1	0.5	-92.2
10	40.2	30.1	-179.7
11	40.6	60.7	-211.0
12	40.7	90.3	-418.7
13	60.8	0.1	14.5
14	60.1	30.1	-109.4
15	60.6	60.6	-260.1
16	60.4	90.7	-493.2
17	80.8	0.4	-39.6
18	80.2	30.1	-102.2
19	80.6	60.2	-285.7
20	80.7	90.2	-518.3
21	100.2	0.3	-13.9
22	100.2	30.4	-117.3
23	100.6	60.5	-412.3
24	100.6	90.6	-651.0
25	100.1	0.3	-40.2
26	100.6	30.5	-175.1
27	100.8	60.7	-377.8
28	100.5	90.5	-623.1

Zestaw 5			
Nr	x [m]	y [m]	dz [mm]
1	0.1	0.3	-60.9
2	0.2	30.2	-112.4
3	0.1	60.1	-92.9
4	0.6	90.5	-256.3
5	20.2	0.7	-104.4
6	20.0	30.4	-120.7
7	20.6	60.1	-134.2
8	20.0	90.1	-297.4
9	40.8	0.1	-96.6
10	40.4	30.7	-91.5
11	40.7	60.6	-214.1
12	40.0	90.5	-404.1
13	60.2	0.3	-24.4
14	60.8	30.1	-119.4
15	60.4	60.3	-315.1
16	60.4	90.2	-458.4
17	80.1	0.4	-44.9
18	80.4	30.7	-177.1
19	80.4	60.1	-333.3
20	80.7	90.7	-587.8
21	100.3	0.0	15.6
22	100.6	30.3	-146.2
23	100.1	60.2	-419.9
24	100.7	90.0	-581.0
25	100.3	0.0	-37.8
26	100.3	30.2	-167.3
27	100.6	60.5	-328.1
28	100.1	90.5	-654.2

Zestaw 7			
Nr	x [m]	y [m]	dz [mm]
1	0.8	0.3	-60.4
2	0.6	30.2	-42.4
3	0.7	60.6	-111.2
4	0.1	90.5	-284.8
5	20.4	0.6	-40.0
6	20.5	30.3	-70.7
7	20.1	60.7	-147.6
8	20.5	90.1	-303.9
9	40.4	0.0	-38.5
10	40.1	30.3	-159.6
11	40.0	60.0	-262.0
12	40.0	90.5	-380.6
13	60.2	0.0	-84.5
14	60.4	30.2	-107.4
15	60.1	60.1	-265.5
16	60.3	90.5	-405.5
17	80.0	0.3	11.9
18	80.3	30.5	-147.0
19	80.6	60.1	-301.9
20	80.0	90.3	-529.5
21	100.1	0.3	38.5
22	100.1	30.1	-178.7
23	100.1	60.2	-333.7
24	100.3	90.2	-667.5
25	100.2	0.6	-46.7
26	100.3	30.2	-155.4
27	100.1	60.6	-393.2
28	100.3	90.2	-562.2

Zestaw 6			
Nr	x [m]	y [m]	dz [mm]
1	0.7	0.2	-33.4
2	0.4	30.2	-107.2
3	0.0	60.7	-108.0
4	0.6	90.7	-263.5
5	20.7	0.0	-124.1
6	20.5	30.2	-160.5
7	20.8	60.4	-146.3
8	20.7	90.3	-322.0
9	40.5	0.2	-14.8
10	40.6	30.3	-123.3
11	40.6	60.7	-196.7
12	40.0	90.5	-440.9
13	60.2	0.5	-57.5
14	60.3	30.7	-122.3
15	60.0	60.7	-284.7
16	60.6	90.0	-488.3
17	80.5	0.5	-14.4
18	80.2	30.5	-189.1
19	80.2	60.4	-364.0
20	80.0	90.2	-591.9
21	100.5	0.2	55.8
22	100.1	30.0	-233.3
23	100.2	60.7	-361.0
24	100.0	90.0	-588.2
25	100.2	0.7	-13.2
26	100.0	30.3	-132.1
27	100.0	60.2	-330.9
28	100.1	90.2	-624.0

Zestaw 8			
Nr	x [m]	y [m]	dz [mm]
1	0.8	0.5	-21.5
2	0.2	30.4	-60.2
3	0.4	60.7	-115.6
4	0.5	90.6	-186.7
5	20.5	0.3	-52.7
6	20.4	30.5	-66.1
7	20.2	60.1	-238.3
8	20.1	90.2	-286.6
9	40.5	0.7	-75.0
10	40.6	30.6	-87.3
11	40.7	60.0	-302.0
12	40.5	90.5	-444.2
13	60.5	0.3	-0.7
14	60.4	30.0	-125.1
15	60.5	60.4	-331.0
16	60.7	90.1	-526.6
17	80.5	0.6	-23.8
18	80.1	30.2	-121.6
19	80.5	60.4	-299.4
20	80.6	90.0	-575.3
21	100.1	0.4	17.5
22	100.8	30.2	-185.6
23	100.6	60.6	-376.2
24	100.3	90.6	-598.8
25	100.1	0.7	-29.7
26	100.5	30.4	-159.4
27	100.7	60.7	-376.4
28	100.0	90.2	-603.6

Zestaw 9			
Nr	x [m]	y [m]	dz [mm]
1	0.1	0.6	-91.3
2	0.6	30.7	-97.5
3	0.1	60.5	-151.2
4	0.4	90.2	-170.6
5	20.1	0.0	-77.7
6	20.3	30.6	-133.5
7	20.6	60.6	-195.6
8	20.3	90.5	-363.4
9	40.0	0.0	-45.9
10	40.0	30.3	-189.8
11	40.8	60.7	-221.3
12	40.8	90.1	-382.1
13	60.1	0.5	-54.8
14	60.7	30.4	-147.1
15	60.4	60.3	-339.9
16	60.3	90.4	-469.0
17	80.6	0.2	26.2
18	80.0	30.5	-147.0
19	80.1	60.1	-350.7
20	80.2	90.1	-588.5
21	100.7	0.2	-16.7
22	100.6	30.6	-222.7
23	100.1	60.5	-365.6
24	100.1	90.1	-599.3
25	100.0	0.3	30.1
26	100.7	30.0	-227.8
27	100.0	60.2	-422.5
28	100.5	90.6	-634.5

Zestaw 11			
Nr	x [m]	y [m]	dz [mm]
1	0.2	0.6	-70.1
2	0.6	30.1	-46.1
3	0.6	60.3	-178.0
4	0.3	90.6	-222.9
5	20.2	0.3	-67.8
6	20.5	30.3	-76.6
7	20.8	60.1	-216.6
8	20.7	90.0	-384.6
9	40.3	0.6	-39.9
10	40.5	30.7	-126.4
11	40.6	60.6	-224.6
12	40.2	90.2	-416.4
13	60.4	0.1	-63.3
14	60.5	30.0	-186.8
15	60.0	60.7	-284.1
16	60.0	90.1	-445.8
17	80.4	0.4	-18.0
18	80.5	30.4	-98.4
19	80.2	60.7	-356.4
20	80.2	90.2	-487.9
21	100.4	0.3	35.3
22	100.7	30.3	-158.2
23	100.3	60.0	-352.0
24	100.8	90.1	-673.3
25	100.1	0.3	7.0
26	100.1	30.4	-186.9
27	100.7	60.7	-415.9
28	100.2	90.3	-612.8

Zestaw 10			
Nr	x [m]	y [m]	dz [mm]
1	0.4	0.7	-32.3
2	0.6	30.7	-87.5
3	0.1	60.4	-179.6
4	0.2	90.0	-178.0
5	20.5	0.0	-117.2
6	20.0	30.6	-65.3
7	20.2	60.2	-240.3
8	20.6	90.3	-372.4
9	40.1	0.6	-17.9
10	40.4	30.7	-121.3
11	40.1	60.1	-229.2
12	40.3	90.2	-360.8
13	60.5	0.1	-31.5
14	60.3	30.7	-147.4
15	60.6	60.4	-260.6
16	60.5	90.7	-457.4
17	80.1	0.3	33.6
18	80.3	30.2	-189.6
19	80.8	60.1	-325.4
20	80.5	90.5	-589.4
21	100.6	0.1	5.9
22	100.4	30.4	-172.2
23	100.8	60.1	-362.0
24	100.5	90.4	-640.1
25	100.7	0.7	-23.4
26	100.6	30.1	-135.4
27	100.6	60.5	-409.4
28	100.3	90.2	-583.3

Zestaw 12			
Nr	x [m]	y [m]	dz [mm]
1	0.5	0.1	-39.3
2	0.3	30.1	-104.6
3	0.1	60.5	-189.2
4	0.3	90.2	-195.0
5	20.2	0.1	-53.2
6	20.1	30.1	-145.3
7	20.0	60.0	-226.8
8	20.0	90.2	-323.8
9	40.5	0.7	-43.4
10	40.6	30.6	-158.8
11	40.2	60.3	-252.0
12	40.7	90.4	-425.1
13	60.5	0.5	-38.4
14	60.3	30.7	-168.3
15	60.0	60.7	-318.2
16	60.3	90.5	-443.7
17	80.7	0.4	-6.8
18	80.1	30.5	-161.4
19	80.8	60.0	-264.5
20	80.0	90.1	-552.0
21	100.6	0.1	-33.4
22	100.3	30.5	-93.3
23	100.2	60.6	-400.6
24	100.6	90.7	-623.7
25	100.7	0.1	-22.2
26	100.6	30.3	-141.2
27	100.1	60.3	-401.8
28	100.0	90.1	-623.8

Zestaw 13			
Nr	x [m]	y [m]	dz [mm]
1	0.1	0.0	-107.1
2	0.7	30.0	-139.9
3	0.6	60.6	-67.7
4	0.7	90.1	-257.8
5	20.5	0.6	-74.6
6	20.7	30.5	-95.6
7	20.8	60.4	-232.8
8	20.4	90.6	-302.0
9	40.7	0.5	4.3
10	40.0	30.0	-90.5
11	40.5	60.0	-185.8
12	40.4	90.6	-341.2
13	60.8	0.3	-42.4
14	60.3	30.2	-183.0
15	60.0	60.6	-248.7
16	60.8	90.6	-496.5
17	80.8	0.7	-23.6
18	80.5	30.5	-128.4
19	80.4	60.1	-333.0
20	80.4	90.7	-515.6
21	100.3	0.4	-41.8
22	100.1	30.7	-136.1
23	100.5	60.7	-390.5
24	100.7	90.0	-566.8
25	100.1	0.7	-59.3
26	100.5	30.6	-183.8
27	100.0	60.0	-384.1
28	100.2	90.5	-576.4

Zestaw 15			
Nr	x [m]	y [m]	dz [mm]
1	0.1	0.1	-120.6
2	0.8	30.7	-80.3
3	0.1	60.7	-112.6
4	0.3	90.7	-233.0
5	20.0	0.7	-44.7
6	20.8	30.7	-112.0
7	20.1	60.6	-201.1
8	20.0	90.1	-267.0
9	40.1	0.0	-112.5
10	40.7	30.4	-131.4
11	40.6	60.1	-269.3
12	40.3	90.2	-448.3
13	60.1	0.1	-24.1
14	60.8	30.3	-108.4
15	60.4	60.2	-293.5
16	60.8	90.0	-485.3
17	80.2	0.3	40.9
18	80.4	30.3	-177.6
19	80.8	60.6	-332.8
20	80.1	90.1	-532.0
21	100.3	0.6	2.4
22	100.3	30.3	-114.0
23	100.4	60.1	-379.2
24	100.3	90.6	-609.3
25	100.2	0.5	54.8
26	100.4	30.4	-148.4
27	100.0	60.7	-418.1
28	100.8	90.1	-606.2

Zestaw 14			
Nr	x [m]	y [m]	dz [mm]
1	0.6	0.2	-57.3
2	0.6	30.6	-45.4
3	0.6	60.5	-158.0
4	0.2	90.3	-196.6
5	20.5	0.4	-99.8
6	20.1	30.5	-135.0
7	20.5	60.1	-163.3
8	20.5	90.0	-372.6
9	40.5	0.5	-66.4
10	40.8	30.1	-96.4
11	40.7	60.7	-218.1
12	40.0	90.3	-377.0
13	60.6	0.5	-58.8
14	60.2	30.7	-155.9
15	60.6	60.4	-262.1
16	60.5	90.5	-497.1
17	80.6	0.4	-41.8
18	80.1	30.5	-165.4
19	80.6	60.3	-369.0
20	80.2	90.6	-506.1
21	100.3	0.5	30.2
22	100.0	30.6	-138.5
23	100.0	60.0	-364.9
24	100.6	90.7	-598.0
25	100.2	0.6	-16.4
26	100.8	30.3	-161.3
27	100.8	60.3	-360.3
28	100.5	90.5	-605.1

Zestaw 16			
Nr	x [m]	y [m]	dz [mm]
1	0.5	0.7	-100.0
2	0.4	30.5	-77.9
3	0.2	60.1	-115.8
4	0.6	90.1	-260.2
5	20.5	0.3	-69.2
6	20.4	30.3	-147.3
7	20.5	60.5	-139.3
8	20.7	90.6	-261.9
9	40.1	0.7	-97.9
10	40.6	30.7	-121.5
11	40.0	60.4	-209.8
12	40.1	90.5	-370.7
13	60.5	0.0	18.3
14	60.6	30.3	-126.9
15	60.6	60.6	-223.6
16	60.0	90.6	-428.2
17	80.8	0.7	39.5
18	80.1	30.6	-152.2
19	80.2	60.0	-273.6
20	80.4	90.6	-591.5
21	100.4	0.1	60.3
22	100.8	30.2	-133.3
23	100.6	60.4	-391.0
24	100.0	90.4	-588.9
25	100.0	0.6	16.9
26	100.0	30.2	-172.0
27	100.3	60.3	-397.4
28	100.4	90.2	-569.3

Zestaw 17			
Nr	x [m]	y [m]	dz [mm]
1	0.5	0.2	-9.3
2	0.7	30.5	-111.7
3	0.3	60.3	-90.4
4	0.6	90.7	-188.7
5	20.6	0.5	-46.8
6	20.8	30.2	-129.2
7	20.5	60.2	-227.3
8	20.4	90.1	-370.7
9	40.1	0.1	-59.7
10	40.4	30.3	-174.5
11	40.0	60.4	-294.6
12	40.3	90.2	-412.8
13	60.5	0.1	12.5
14	60.1	30.6	-179.9
15	60.1	60.2	-294.4
16	60.7	90.5	-515.3
17	80.4	0.5	-78.0
18	80.7	30.5	-139.3
19	80.7	60.4	-367.0
20	80.8	90.1	-543.6
21	100.2	0.6	15.4
22	100.5	30.7	-160.1
23	100.4	60.5	-359.7
24	100.6	90.2	-573.0
25	100.1	0.0	42.3
26	100.8	30.7	-124.8
27	100.2	60.1	-381.5
28	100.2	90.1	-561.8

Zestaw 19			
Nr	x [m]	y [m]	dz [mm]
1	0.0	0.5	-8.9
2	0.3	30.2	-123.2
3	0.5	60.4	-200.3
4	0.5	90.6	-226.5
5	20.4	0.5	-25.4
6	20.7	30.0	-122.9
7	20.7	60.3	-154.0
8	20.7	90.2	-290.1
9	40.8	0.5	-96.8
10	40.2	30.4	-114.0
11	40.1	60.4	-287.2
12	40.0	90.7	-440.6
13	60.0	0.5	-38.0
14	60.6	30.4	-160.9
15	60.7	60.3	-263.7
16	60.6	90.1	-492.1
17	80.5	0.1	20.7
18	80.7	30.7	-223.7
19	80.5	60.3	-326.6
20	80.3	90.7	-495.3
21	100.3	0.4	51.6
22	100.6	30.6	-148.0
23	100.4	60.7	-347.2
24	100.1	90.4	-583.9
25	100.5	0.2	21.6
26	100.2	30.0	-141.6
27	100.2	60.0	-366.9
28	100.5	90.2	-608.3

Zestaw 18			
Nr	x [m]	y [m]	dz [mm]
1	0.3	0.4	-57.9
2	0.1	30.3	-142.4
3	0.2	60.1	-109.3
4	0.0	90.3	-301.0
5	20.4	0.2	-47.6
6	20.6	30.2	-114.4
7	20.0	60.1	-177.8
8	20.3	90.4	-320.7
9	40.7	0.6	-93.9
10	40.8	30.0	-172.2
11	40.7	60.4	-247.8
12	40.0	90.3	-378.2
13	60.1	0.5	-66.1
14	60.3	30.0	-163.2
15	60.1	60.3	-301.6
16	60.7	90.0	-496.0
17	80.2	0.2	-16.9
18	80.0	30.7	-141.9
19	80.4	60.1	-307.8
20	80.2	90.6	-500.5
21	100.2	0.0	51.5
22	100.8	30.4	-114.4
23	100.4	60.7	-384.4
24	100.8	90.5	-643.6
25	100.0	0.0	51.9
26	100.1	30.7	-111.5
27	100.2	60.6	-339.2
28	100.2	90.2	-569.7

Zestaw 20			
Nr	x [m]	y [m]	dz [mm]
1	0.0	0.5	-70.3
2	0.7	30.6	-137.3
3	0.4	60.4	-106.0
4	0.8	90.7	-236.7
5	20.2	0.0	-78.6
6	20.3	30.3	-97.2
7	20.6	60.4	-215.6
8	20.7	90.1	-321.1
9	40.7	0.7	-102.6
10	40.0	30.6	-136.1
11	40.0	60.4	-276.6
12	40.3	90.2	-384.4
13	60.1	0.2	-12.4
14	60.4	30.4	-150.7
15	60.4	60.0	-262.5
16	60.5	90.4	-530.1
17	80.1	0.5	-9.8
18	80.5	30.6	-149.1
19	80.4	60.4	-327.1
20	80.0	90.0	-535.2
21	100.5	0.3	-48.7
22	100.7	30.6	-162.9
23	100.1	60.3	-360.8
24	100.1	90.2	-594.1
25	100.6	0.6	43.9
26	100.6	30.1	-183.1
27	100.2	60.3	-395.7
28	100.1	90.4	-626.9

Zestaw 21			
Nr	x [m]	y [m]	dz [mm]
1	0.2	0.2	-75.1
2	0.3	30.0	-138.7
3	0.6	60.2	-181.4
4	0.3	90.6	-273.1
5	20.6	0.5	-35.7
6	20.6	30.2	-150.9
7	20.0	60.5	-150.5
8	20.8	90.4	-338.1
9	40.7	0.4	-67.6
10	40.5	30.0	-183.6
11	40.8	60.7	-222.7
12	40.5	90.7	-432.2
13	60.1	0.3	-79.5
14	60.6	30.1	-126.8
15	60.1	60.1	-253.2
16	60.6	90.1	-455.6
17	80.6	0.6	25.6
18	80.2	30.1	-151.8
19	80.4	60.0	-352.0
20	80.7	90.7	-509.2
21	100.6	0.1	-28.4
22	100.3	30.7	-219.9
23	100.8	60.7	-431.6
24	100.3	90.5	-635.1
25	100.2	0.4	28.6
26	100.5	30.4	-147.6
27	100.2	60.3	-360.5
28	100.2	90.6	-623.8

Zestaw 23			
Nr	x [m]	y [m]	dz [mm]
1	0.3	0.6	-56.1
2	0.5	30.4	-124.0
3	0.1	60.0	-122.8
4	0.7	90.7	-252.3
5	20.3	0.2	-87.3
6	20.4	30.2	-160.4
7	20.5	60.5	-165.0
8	20.0	90.3	-304.3
9	40.7	0.0	-13.0
10	40.7	30.6	-122.9
11	40.2	60.1	-220.2
12	40.5	90.5	-357.4
13	60.1	0.5	-2.1
14	60.2	30.0	-158.4
15	60.2	60.5	-268.2
16	60.3	90.3	-459.2
17	80.0	0.6	6.3
18	80.3	30.7	-105.5
19	80.6	60.0	-311.4
20	80.7	90.1	-546.6
21	100.2	0.3	-4.7
22	100.8	30.6	-208.6
23	100.8	60.3	-394.1
24	100.4	90.4	-612.2
25	100.3	0.3	-21.3
26	100.5	30.5	-139.4
27	100.7	60.6	-356.0
28	100.3	90.5	-625.8

Zestaw 22			
Nr	x [m]	y [m]	dz [mm]
1	0.2	0.1	-102.9
2	0.4	30.0	-60.3
3	0.0	60.2	-89.3
4	0.5	90.4	-254.3
5	20.2	0.2	-78.2
6	20.8	30.1	-126.8
7	20.4	60.5	-251.5
8	20.6	90.0	-266.5
9	40.4	0.1	-73.0
10	40.0	30.1	-91.4
11	40.7	60.4	-213.3
12	40.1	90.1	-451.9
13	60.0	0.6	-62.8
14	60.3	30.7	-183.6
15	60.0	60.7	-310.1
16	60.4	90.3	-476.4
17	80.5	0.5	20.7
18	80.0	30.5	-140.5
19	80.5	60.6	-343.4
20	80.1	90.6	-563.0
21	100.0	0.4	58.7
22	100.0	30.6	-147.1
23	100.1	60.3	-398.3
24	100.5	90.5	-566.4
25	100.4	0.4	-7.2
26	100.7	30.4	-158.3
27	100.3	60.1	-396.7
28	100.8	90.4	-611.6

Zestaw 24			
Nr	x [m]	y [m]	dz [mm]
1	0.7	0.2	-62.9
2	0.8	30.4	-62.7
3	0.8	60.0	-146.7
4	0.8	90.4	-200.0
5	20.2	0.4	-33.4
6	20.5	30.2	-156.2
7	20.0	60.5	-144.8
8	20.8	90.0	-313.9
9	40.1	0.5	-75.7
10	40.5	30.5	-164.7
11	40.2	60.0	-207.1
12	40.4	90.2	-359.5
13	60.0	0.5	-43.7
14	60.5	30.5	-173.6
15	60.3	60.2	-326.5
16	60.1	90.3	-506.4
17	80.7	0.5	26.1
18	80.3	30.7	-181.4
19	80.8	60.5	-315.8
20	80.0	90.6	-573.6
21	100.2	0.1	16.3
22	100.0	30.3	-177.4
23	100.1	60.2	-368.2
24	100.2	90.5	-645.6
25	100.5	0.0	-17.6
26	100.5	30.1	-203.9
27	100.8	60.1	-378.8
28	100.7	90.2	-574.7

Zestaw 25			
Nr	x [m]	y [m]	dz [mm]
1	0.3	0.0	-104.3
2	0.0	30.4	-44.9
3	0.7	60.7	-163.1
4	0.4	90.1	-268.1
5	20.8	0.5	-101.4
6	20.5	30.7	-112.6
7	20.7	60.0	-151.8
8	20.5	90.7	-325.4
9	40.4	0.5	-73.5
10	40.5	30.7	-153.6
11	40.4	60.2	-205.3
12	40.7	90.2	-366.3
13	60.0	0.4	-52.7
14	60.7	30.1	-131.3
15	60.4	60.1	-267.8
16	60.2	90.2	-416.3
17	80.2	0.7	-57.9
18	80.6	30.7	-148.0
19	80.4	60.3	-335.4
20	80.2	90.2	-520.4
21	100.6	0.1	-18.3
22	100.4	30.7	-128.6
23	100.1	60.0	-385.6
24	100.3	90.3	-574.2
25	100.3	0.3	49.7
26	100.7	30.1	-184.6
27	100.3	60.1	-397.5
28	100.5	90.1	-565.5

Zestaw 27			
Nr	x [m]	y [m]	dz [mm]
1	0.8	0.5	-28.1
2	0.4	30.1	-44.8
3	0.8	60.6	-180.5
4	0.3	90.5	-258.3
5	20.6	0.2	0.3
6	20.6	30.6	-91.5
7	20.2	60.7	-136.0
8	20.1	90.2	-263.9
9	40.0	0.6	-86.1
10	40.6	30.7	-148.1
11	40.1	60.0	-273.9
12	40.1	90.5	-422.3
13	60.1	0.0	-22.3
14	60.2	30.4	-122.6
15	60.8	60.6	-336.9
16	60.1	90.4	-514.4
17	80.0	0.1	32.2
18	80.2	30.4	-199.9
19	80.1	60.2	-322.7
20	80.8	90.7	-554.9
21	100.6	0.2	29.0
22	100.8	30.5	-218.5
23	100.0	60.0	-346.9
24	100.5	90.6	-646.5
25	100.1	0.0	25.7
26	100.7	30.7	-149.9
27	100.4	60.2	-440.8
28	100.5	90.5	-585.9

Zestaw 26			
Nr	x [m]	y [m]	dz [mm]
1	0.8	0.1	-105.9
2	0.4	30.4	-51.3
3	0.7	60.3	-186.6
4	0.7	90.2	-172.8
5	20.7	0.1	-4.1
6	20.7	30.2	-137.1
7	20.8	60.3	-205.9
8	20.1	90.5	-266.9
9	40.7	0.0	-29.3
10	40.3	30.1	-110.1
11	40.5	60.2	-204.2
12	40.6	90.3	-391.1
13	60.1	0.6	-48.6
14	60.7	30.2	-142.3
15	60.7	60.4	-320.1
16	60.7	90.6	-450.8
17	80.0	0.0	44.2
18	80.5	30.3	-128.5
19	80.0	60.3	-273.0
20	80.3	90.6	-606.2
21	100.1	0.4	-34.2
22	100.5	30.0	-205.8
23	100.2	60.2	-360.4
24	100.3	90.1	-651.0
25	100.1	0.1	-8.7
26	100.2	30.4	-182.5
27	100.8	60.7	-392.1
28	100.5	90.7	-631.7

Zestaw 28			
Nr	x [m]	y [m]	dz [mm]
1	0.4	0.4	-0.6
2	0.7	30.3	-66.3
3	0.2	60.2	-191.6
4	0.7	90.3	-180.3
5	20.0	0.3	-97.2
6	20.4	30.5	-141.2
7	20.5	60.4	-220.1
8	20.4	90.3	-295.4
9	40.2	0.4	-15.6
10	40.0	30.0	-104.5
11	40.5	60.2	-255.4
12	40.1	90.3	-387.2
13	60.6	0.0	-12.7
14	60.8	30.1	-112.2
15	60.1	60.6	-290.7
16	60.3	90.1	-434.8
17	80.7	0.1	-18.1
18	80.1	30.6	-180.6
19	80.0	60.4	-332.9
20	80.7	90.4	-572.5
21	100.3	0.0	-46.1
22	100.6	30.0	-139.5
23	100.6	60.6	-437.3
24	100.2	90.2	-572.8
25	100.2	0.1	34.5
26	100.6	30.2	-165.6
27	100.8	60.4	-334.4
28	100.4	90.0	-572.6

Zestaw 29			
Nr	x [m]	y [m]	dz [mm]
1	0.8	0.1	-36.1
2	0.7	30.1	-51.0
3	0.7	60.6	-173.0
4	0.8	90.1	-244.9
5	20.2	0.2	-61.8
6	20.8	30.2	-131.2
7	20.5	60.3	-153.5
8	20.1	90.3	-255.5
9	40.4	0.5	-76.3
10	40.7	30.5	-63.1
11	40.5	60.6	-214.3
12	40.7	90.4	-403.6
13	60.7	0.2	-23.0
14	60.4	30.7	-119.2
15	60.1	60.7	-342.4
16	60.0	90.2	-467.4
17	80.4	0.4	-11.3
18	80.3	30.7	-119.4
19	80.5	60.6	-311.6
20	80.2	90.2	-557.1
21	100.1	0.3	33.2
22	100.8	30.7	-196.6
23	100.1	60.5	-370.0
24	100.7	90.4	-578.8
25	100.6	0.4	-22.3
26	100.1	30.0	-182.9
27	100.2	60.6	-433.4
28	100.1	90.1	-629.3

Zestaw 31			
Nr	x [m]	y [m]	dz [mm]
1	0.4	0.2	-56.3
2	0.8	30.7	-60.0
3	0.3	60.5	-98.6
4	0.0	90.2	-270.1
5	20.8	0.6	-37.9
6	20.8	30.0	-128.4
7	20.6	60.3	-239.5
8	20.5	90.2	-258.7
9	40.5	0.3	-5.2
10	40.8	30.0	-180.5
11	40.6	60.0	-297.4
12	40.6	90.0	-379.1
13	60.8	0.7	-33.0
14	60.7	30.1	-115.7
15	60.6	60.3	-252.7
16	60.7	90.2	-489.1
17	80.8	0.3	-61.5
18	80.3	30.4	-144.8
19	80.7	60.4	-312.2
20	80.3	90.3	-588.9
21	100.8	0.6	-40.8
22	100.5	30.4	-209.4
23	100.8	60.3	-421.5
24	100.2	90.3	-605.2
25	100.2	0.5	-25.9
26	100.0	30.7	-137.7
27	100.5	60.2	-390.0
28	100.4	90.5	-646.1

Zestaw 30			
Nr	x [m]	y [m]	dz [mm]
1	0.4	0.5	-66.8
2	0.1	30.1	-67.8
3	0.7	60.3	-135.8
4	0.3	90.4	-233.4
5	20.5	0.7	-93.9
6	20.2	30.1	-141.6
7	20.2	60.3	-225.0
8	20.2	90.6	-292.5
9	40.7	0.5	-71.7
10	40.3	30.3	-120.9
11	40.3	60.0	-224.7
12	40.7	90.3	-399.4
13	60.0	0.1	-83.3
14	60.1	30.5	-197.5
15	60.5	60.5	-335.2
16	60.7	90.7	-414.3
17	80.1	0.5	-34.5
18	80.2	30.7	-130.1
19	80.6	60.7	-295.6
20	80.4	90.6	-556.9
21	100.7	0.0	-54.2
22	100.6	30.5	-216.4
23	100.4	60.3	-403.5
24	100.4	90.7	-578.5
25	100.6	0.6	46.0
26	100.6	30.4	-174.6
27	100.3	60.1	-405.9
28	100.2	90.5	-590.9

Przykład			
Nr	x [m]	y [m]	dz [mm]
1	0.2	0.6	-110.1
2	0.2	30.4	-70.5
3	0.8	60.4	-161.9
4	0.1	90.2	-175.6
5	20.7	0.0	-73.3
6	20.2	30.4	-47.6
7	20.0	60.6	-207.3
8	20.3	90.2	-375.1
9	40.3	0.7	-64.8
10	40.6	30.0	-160.0
11	40.2	60.4	-261.1
12	40.6	90.5	-403.9
13	60.4	0.0	-45.7
14	60.3	30.7	-110.4
15	60.0	60.2	-255.0
16	60.3	90.7	-517.0
17	80.3	0.7	-69.4
18	80.0	30.4	-153.0
19	80.4	60.7	-352.3
20	80.6	90.4	-592.0
21	100.6	0.1	52.7
22	100.4	30.4	-118.5
23	100.6	60.1	-330.4
24	100.5	90.3	-599.2
25	100.8	0.5	-30.1
26	100.4	30.3	-144.6
27	100.5	60.5	-412.1
28	100.4	90.4	-609.6